

## Underwater Lighting

### Porpoise Light Fixture

**#NS8485** **GU-0406**

The lowest maintenance underwater light available. The Porpoise is completely submersible and produces a clear, crisp, 170° light spread for general underwater illumination. It has the longest service life between cleanings. T-5 wedge base lamp LO-921. 16.5 watt. 10-year warranty.



### Sunfish Underwater Light Fixture

**#NS8501** **UW-0705**

Underwater lighting for ornamental pools, waterfalls where exact beam control is needed. This is the most durable underwater light sold. The waterproof Sunfish houses MR-16 lamps up to 50W and may be mounted at any angle. Its optional adjustable shield keeps fixture virtually glare-free from any angle. (Light shield O504-H, optional). 20-watt lamp. 10-year warranty. Made of composite material in natural earth tone.



### Sunfish Light Shield

**#NS8516** **O504-H**

Reduces glare if it is a problem on the Sunfish Underwater Light.

## Landscape Lighting

### Coverlitter Light Fixture

**#NS8484** **GU-0404CU**

Coverlitter, as its name states, is a unique fixture with a removable outer layer cover that acts as an adjustable eyebrow and serves as a heat dissipater to protect people and sensitive plant material from possibly uncomfortable levels of heat. MR-16 20W quartz halogen lamp. Copper finish with ground stake. 10-year warranty.

### Decklitter 4" Light Fixture

**#NS8499** **TD-0402-7**

Great down lighting. Provides subdued lighting with random points of interest. Breezes give movement to these fixtures, creating a spectacular effect. This is a favorite among gardeners. 12.3W single bayonet LO-93 bulb. Weathered Iron finish. 10-year Warranty. Brass finial with brass loop for hanging.



## Down Light Fixtures

**#NS8473** **GD-2404-7**

Path lighting for illuminating winding paths, walkways, lower flower beds, and steps. This 26" high fixture is a miniature version of the Famous El Camino highway marker. Its bell shaped reflector throws a circle of light 10' in diameter. Powder coated weathered iron finish with a 10-year warranty. Includes ground spike. 12.3W single bayonet LO-93 bulb.

### Fern-Liter Light Fixture

**#NS8500** **TD-0606-7**

With its delicately scribed fern-like pattern and scalloped bell, this fixture, with its incandescent lamps, casts a gentle circular pattern down to light tabletops, blend with the lines of gazebo rooves, etc. 12.3W single bayonet LO-93 bulb. Weathered Iron finish. 10-year warranty. Loop for hanging.

### Flower-Liter Path Light Fixture

**#NS8474** **GD-2806-7**

Path lighting for illuminating winding paths, walkways, flower flower beds, and steps. This 36.5" high fixture is bell flower shaped. The reflector throws a circle of light 10' in diameter. Powder coated weathered iron finish with a 10 year warranty. Includes ground spike. 12.3W single bayonet LO-93 bulb.

### Footlitter SS Path Light

**#NS8472** **GD-1409**

This fixture is powder coated 24-gauge 301 stainless steel with a 10-year warranty. Weathered Iron finish is standard but it can be special ordered in solid copper. Great for paths, walkways, ground cover, low flower beds and steps. The quality of this fixture is not to be confused with other manufactures' "cheap" inferior products. Comes with 7.5" ground spike for mounting. 12.3W single bayonet LO-93 bulb.

### Guardian Light Fixture

**#NS8470** **AW-0403-7**

Low voltage landscape light. Weathered iron finish. Use for down lighting walls, posts, fences, highlighting art objects and plants. Made of commercial grade extruded aluminum with polyester powder coating and a 10-year warranty. J hook allows flush mounting to a wall. 12.3W single bayonet LO-93 bulb.

degree shield.

**Leafliter II Light Fixture**  
**#NS8476** **GD-3306-7**  
Same as above with 90-degree shield.

**Leafliter III Light Fixture**  
**#NS8477** **GD-3407-7**  
Same as above with 100-degree shield.

**Maxi-Spotter Light Fixture**  
**#NS8502** **WM-0502CU**  
Used high in trees, over lawn areas, above flower beds, recreational areas and barbecues, this copper fixture has a 10-year warranty and houses an MR-16 20W bulb. The light is attached to an adjustable mounting plate.



**Light Shields/Eyebrows Copper**  
**#NS8512** **0602-S-CU**  
Used with Maxi- Spotter. Copper Finish. Light Shields/Eyebrows keep down unwanted glare.

**Light Shields/Eyebrows-Copper Verde**  
**#NS8513** **0602-S-CUV**  
Same as above with Copper Verde Finish.

**Mini-Borderlite Light Fixture**  
**#NS8490** **NT-2512**  
These are easily replaceable high impact lights. 25 T-3 wedge base lamps, 2.4W each for 60W total, deliver an interesting variety to any display or tree. 10-year warranty.



**NightDial-Lite Fixture**  
**#NS8488** **ND-1200-7**  
This very unique garden ornament and landscape fixture is great installed in the middle of medium height plantings, in specialty gardens, or near a fountain or pond. T-5 wedge 16.5W LO-921 lamp. 10-year warranty. Weathered iron finish.



**Nightscope Light Fixture**  
**#NS8489** **NS-0411-7**  
This light is an image projector that cast patterns in light for a distance of up to 300' and as close as 2'. Custom templates are available. Weathered iron finish. MR-16 bulb 65W LO-6512. 10-year warranty



**Pioneer Lantern, Sm**  
**#NS8491** **PL-0706-7**  
Ideal for hanging on patios, front porches, etc. Weathered metal finish. Use with telescoping handle #NS8492 for stake mounting or with wall bracket #NS8493 (for sm unit). Top lamp is a T-3 wedge base LO-194 2.4W and the lower light is a T-5 wedge base 16.5W LO-921 lamp. Total wattage is 18.9W. 7.5" tall.

**Pioneer Lantern, Lg**  
**#NS8492** **PL-1107-7**  
Same as above but 11.25" tall. Use with telescoping handle #NS8492 for stake mounting or with wall bracket #NS8494.

**Telescoping Hanger**  
**#NS8493** **PL-0706-TH**  
This bracket for mounting a Pioneer Lantern for path lighting or bed lighting. Telescoping handle for height adjustment and stake for ground mounting is included. Adjusts from 24- 43".

**Wall Bracket**  
**#NS8494** **PL-0706-WB**  
Used for wall mounting the Small PL-0706 Pioneer Lantern Light.

**Wall Bracket**  
**#NS8495** **PL-0706L-WB**  
Used for wall mounting the Large PL-1107 Pioneer Lantern Light.

**Postliter Light Fixture**  
**#NS8503** **WM-3535-7**  
This fixture is designed especially for deck construction. It has many additional applications. Perfect for path lighting along rails, decks, fences and stone walls. It uses a wedge base T-5 lamp LO-0921 16.5W bulb. Weathered Iron finish with a 10-year warranty. Also available in copper.

**Postliter Copper Light Fixture**  
**#NS8504** **WM-3535-CU**  
Same features as above with copper finish. 10-year warranty.

**Seegarliter Light Fixture**

**#NS8480** **GD-7520CU**

This unique fixture is perfect for mounting into walls, in plantings, or any place a tall yet nearly invisible fixture is required. This unit offers the utmost in flexibility of placement and output control through the selection and positioning of its wedge base 11.8W T-5 LO-912 lamp. Natural Copper finish and a 10-year warranty.



**Sparkler Light Fixture, Small**

**#NS8481** **GS-1102-7**

Use throughout gardens, guide lights at corners, marker lights for long driveways, near swimming pools and ponds. Sparklers provide subdued lighting with random points of interest. Small fixtures are 10" tall. Use single bayonet 12W LO-93 lamps. Weathered iron finish with 10-year warranty.



**Sparkler Light Fixture, Medium**

**#NS8482** **GS-1402-7**

Same as above but 13" tall.

**Sparkler Light Fixture, Large**

**#NS8483** **GS-1702-7**

Same as above but 16" tall.

**Starliter 7" Light Fixture**

**#NS8496** **TD-0702-7**

Great down lighting. Starliters provide subdued lighting with random points of interest. These units are available in 7,10 and 13" lengths allowing them to be clustered. Breezes give movement to these fixtures, creating a spectacular effect. This is a favorite among gardeners. Single contact bayonet LO-93 12.3W lamp. Weathered iron finish. 10-year warranty. Brass finial with brass loop for hanging.



**Starliter 10" Light Fixture**

**#NS8497** **TD-1002-7**

Same as above but 10" high.

**Starliter 13" Light Fixture**

**#NS8498** **TD-1302-7**

Same as above but 10" high.

**Sunliter, Copper Finish**

**#NS8515** **BD-0502-CU**

Great down lighting. Provides more intense downlighting than Deckliters and Starlighters with its 20W MR-16 lamp. Brass finial with brass loop for hanging. Copper finish.



tropical paradise full of fun and romance.

**Walliter Light Fixture**

**#NS8486** **GU-0508**

Uplighting. For highlighting tall trees, graze buildings, backlight distant trees and shrubs. The Walliter's above-ground shielding allows the lamp to pivot on its gimbal ring to adjust the light beam 60 degrees above the ground. The outer shell can be inverted allowing projection directly upward. Light can be varied greatly depending on lamp selection. Buy a Round Grate (#NS8487) with every light to prevent leaves from causing a problem. 10-year warranty. Uses PAR-36 screw terminal LO-4414 14.9W lamp.

**Round Grate**

**#NS8487** **GL-0606**

This grate prevents leaves from causing a problem in the Walliter.

**PowerCenters**

**Powercenter SS100W**

**#NS8505** **T-100-SS-AP**

100watt with Solar Cell.

Nightscaping makes the best and safest transformers available. With unmatched features and quality the choice is easy. The transformer is the basis for any high quality lighting project. "Make No Compromises." Select Nightscaping Powercenter because we have your outdoor lighting system under control. Lifetime Warranty. T-304 stainless steel case. Raintight construction-UL, CSA, ARL wet location listed. Vented, easy-to-read diagram and instructions on cover. Security screw. Oversized wiring capacity. Control module-ready feature. Timer on all models standard except 100W. Photocell on all models. Overhead coil configuration. Backside keyhole bracket. Oversized 60amp terminal blocks. Secondary Fusetat protection. Multiple 1/2" and 3/4" knockouts. Security slot. 6' power cord. Powercenter wattage must equal or exceed total lamp wattage needed. Multiply wattage lamps desired by number of fixtures.

**Powercenters SS150W**

**#NS8506** **T-150-SS-AP**

Same features as above but 150watt with Solar Cell & Timer

& Timer

**Powercenters SS1000W**

**#NS8509 T-1000-SS-AP**  
Same as above but 1000watt with Solar Cell  
& Timer

**Lamps, Parts, Fuses**

**Fustat S-10 #NS8510**  
Replacement fuse for 100W Powercenters.

**Fustat S-15 #NS8511**  
Replacement fuse for 150W Powercenters.

**Fustat S-25 #NS8514**  
Replacement fuse for 250W Powercenters.

**PAR-36 Lamp #NS8517 LO-4414**  
18W Screw Terminal. Replacement light for  
the Walliter. Coverage at 20' is 18'7"x8'10".

**PAR-36 Lamp #NS8518 LO-4446**  
25W Screw Terminal. Replacement light for  
the Walliter. Coverage at 20' is 33'6"x33'6".

**(EZX) MR-16 Lamp #NS8519 LO-2006**  
20W 7-degree MR-16 quartz halogen  
(3000K) lamps. Coverage at 20' is 2'5".

**(ESX) MR-16 Lamp #NS8520 LO-2012**  
20W 13-degree. Coverage at 20' is 4'6".

**LO-2036 (BAB ) MR-16 Lamp #NS8521 LO-2036**  
20W 42-degree. Coverage at 20' is 15'4".

**(FRB ) MR-16 Lamp #NS8522 LO-3512**  
35W 12-degree. Coverage at 20' is 4'2".

**(FRA ) MR16 Lamp #NS8523 LO-3520**  
35watt 20 degree. Coverage at 20' is 7'0".

**(FMW ) MR-16 Lamp #NS8524 LO-3540**  
35W 40-degree. Coverage at 20' is 14'6".

**(EXZ) MR-16 Lamp #NS8527 LO-5024**  
50W 27-degree. Coverage at 20' is 9'7".

**(EXN) MR-16 Lamp #NS8528 LO-5038**  
50W 40-degree. Coverage at 20' is 14'6".

**(FNV) MR-16 Lamp #NS8529 LO-5055**  
50W 55-degree. Coverage at 20' is 20'9".

**MR-16 Lamp #NS8530 LO-6512**  
65W 14-degree. Coverage at 20' is 4'11"  
diameter. Lamp used in Nightscope.

**Bayonet Base Lamp #NS8531 LO-93**  
12.3W Replacement bulb. Single Contact.

**Bayonet Base Lamp #NS8532 LO-89**  
6.8W Replacement bulb. Single Contact.

**Bayonet Base Lamp #NS8533 LO-1156**  
21.2W Replacement bulb. Single Contact.

**T-3 Wedge Base Lamp #NS8534 LO-194**  
2.4W Replacement bulb. Wedge base.

**T-5 Wedge Base Lamp #NS8535 LO-904**  
7.5W Replacement bulb. Wedge base.

**T-5 Wedge Base Lamp #NS8536 LO-912**  
11.8W Replacement bulb. Wedge base.

**T-5 Wedge Base Lamp #NS8537 LO-921**  
16.5W Replacement bulb. Wedge base.